

Notice of Allowability

Application No.

10/863,882

Examiner

James S Hogan

Applicant(s)

BRIGHT ET AL.

Art Unit

3752

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to application filed.
2. ☒ The allowed claim(s) is/are 1-22.
3. ☒ The drawings filed on 15 September 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
 Paper No./Mail Date 09/15/2003
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
 Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-22 allowed.
2. The following is a statement of reasons for the indication of allowable subject matter: The prior art fails to disclose or render obvious a self contained water display having a cylindrical fountain housing, the housing containing at least one fountain nozzle extending vertically upwardly and at least one pump adapted to supply water to the nozzle with sufficient volumetric throughput to cause a vertical water stream to be ejected from the nozzle. The device also features a vertically disposed transparent cylindrical cover surrounding the fountain housing. The fountain housing is located in a lower portion of the transparent cylindrical cover. The transparent cylindrical cover has a height above the nozzle that is at least as great as the height of the vertical water stream. An additional embodiment not disclosed or rendered obvious is a fountain as described above, but also including a transparent aquarium surrounding the fountain housing and the lower portion of the transparent cylindrical cover.

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure is as follows:

U.S. Patent No. 6,237,858 to Lewis, disclosing a waterfall clock

U.S. Patent No. 1,798,095 to Manley, disclosing a self-service beverage machine

U.S. Patent No. 6,135,604 to Lin, disclosing a decorative water lamp.

U.S. Patent No. 5,439,170 to Dach, disclosing an illuminated water fountain

Art Unit: 3752

U.S. Design Patent D394,301 to Fisher, disclosing a tabletop fountain


U.K. Patent Application GB 2,040,531 A to Brimacombe, disclosing an apparatus
simulating a gaseous beverage

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to James S Hogan whose telephone number is (571) 272-
4902. The examiner can normally be reached on Mon-Fri, 7:00a-4:00p EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's
supervisor, David Scherbel can be reached on (571) 272-4919. The fax phone number
for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the
Patent Application Information Retrieval (PAIR) system. Status information for
published applications may be obtained from either Private PAIR or Public PAIR.
Status information for unpublished applications is available through Private PAIR only.
For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should
you have questions on access to the Private PAIR system, contact the Electronic
Business Center (EBC) at 866-217-9197 (toll-free).

JSH
02/18/2005



David A. Scherbel
Supervisory Patent Examiner
Group 3700